

Superseded

**Specification (Measurement)**

**Transport and Main Roads Specifications  
MRS71A Stainless Steel Reinforcing**

**November 2018**

## Copyright

© The State of Queensland (Department of Transport and Main Roads) 2018.

## Licence



This work is licensed by the State of Queensland (Department of Transport and Main Roads) under a Creative Commons Attribution (CC BY) 4.0 International licence.

## CC BY licence summary statement

In essence, you are free to copy, communicate and adapt this work, as long as you attribute the work to the State of Queensland (Department of Transport and Main Roads). To view a copy of this licence, visit: <https://creativecommons.org/licenses/by/4.0/>

## Translating and interpreting assistance



The Queensland Government is committed to providing accessible services to Queenslanders from all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

## Disclaimer

While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

## Feedback

Please send your feedback regarding this document to: [tmr.techdocs@tmr.qld.gov.au](mailto:tmr.techdocs@tmr.qld.gov.au)

**Contents**

- 1 Introduction ..... 1**
- 2 Measurement of work ..... 1**
  - 2.1 Standard Work Items ..... 1
  - 2.2 Stainless steel reinforcing not always measured separately ..... 1
  - 2.3 Calculation of quantities ..... 1

Superseded

## 1 Introduction

This Specification applies to the supply, fabrication and placing of stainless steel reinforcing bar used in concrete road and bridge structures.

This Specification shall be read in conjunction with MRS01 *Introduction to Specifications*, MRS50 *Specific Quality Systems Requirements* and other Specifications as appropriate.

This Specification forms part of the Transport and Main Roads Specifications Manual.

## 2 Measurement of work

### 2.1 Standard Work Items

This Specification contains no Standard Work Items. Subject to the provisions of Clause 2.1, supply and installation of stainless steel reinforcing shall be measured by Standard Work Items associated with particular elements of work contained in the following Specifications:

- a) MRS03 *Drainage, Retaining Structures and Protective Treatments*
- b) MRS40 *Concrete Pavement Base*
- c) MRS62 *Bridge Substructure*
- d) MRS63 *Cast-In-Place Piles*
- e) MRS63A *Piles for Ancillary Structures*
- f) MRS64 *Driven Tubular Steel Piles*, and
- g) MRS77 *Bridge Deck*.

### 2.2 Stainless steel reinforcing not always measured separately

The supply and installation of stainless steel reinforcing bars shall be measured under a separate Standard Work Item only when incorporated in the following elements of work:

- a) bored and cast-in-place piles
- b) bridge abutment and pier footings
- c) bridge abutments
- d) bridge piers
- e) bridge deck
- f) bridge cross girders, and
- g) bridge parapets, insitu kerbs and medians.

In all other structures, slabs, footings and precast elements payment for stainless steel reinforcing bars shall be deemed to be included in the rate or lump sum amount for the relevant Standard Work Item(s) for that structure, slab, footing or precast element.

### 2.3 Calculation of quantities

The quantity of stainless steel reinforcing bar represented by any Standard Work Item included in the Specifications referred to in Clause 2.1 shall be the mass calculated from the actual lengths shown in the Drawings and the unit mass of each bar size as shown in Table 2.3. Where a continuous bar or

welded or other type of splice is used instead of a lapped splice, the mass shall be calculated as for a lapped splice.

**Table 2.3 – Unit mass of stainless steel reinforcing bar**

Bar size (mm)	Unit mass (kg/m)
10	0.617
12	0.888
16	1.58
20	2.47
24	3.55
28	4.83
32	6.31
36	7.99
40	9.86

When calculating quantities, no allowance shall be made for any additional stainless steel reinforcing used:

- a) in cutting and / or bending processes, or
- b) by the Contractor to improve the rigidity of a reinforcing cage or to suit the proposed installation procedure.

Superseded