




BELOW ROAD SURFACE
TYPE 1




WITH CHANNEL
TYPE 2



ON ROAD SURFACE
TYPE 4




BELOW ROAD SURFACE
TYPE 5




WITH CHANNEL
TYPE 6 (300 CHANNEL)
TYPE 7 (450 CHANNEL)

MOUNTABLE KERBS


BARRIER KERBS




ON ROAD SURFACE
TYPE 8 (DEPTH 125)
TYPE 9 (DEPTH 125 + 'AA')




ON ROAD SURFACE - WITH BACKING STRIP
TYPE 10 (DEPTH 125)
TYPE 11 (DEPTH 125 + 'AA')



BELOW ROAD SURFACE
TYPE 12 (DEPTH 125)
TYPE 13 (DEPTH 125 + 'AA')



WITH CHANNEL
TYPE 14 (300 CHANNEL)
TYPE 15 (450 CHANNEL)



REFERENCE POSITIONS

- (A) Line of kerb
- (B) Line of channel lip
- (C) Height reference

NOTES:

1. CHANNEL THROAT THICKNESS of 150mm and portion of kerbs below finished surface shown is a minimum. The underside of the section should preferably coincide with the top of a pavement layer in level and slope.
2. TRANSITIONING between kerb types to be carried out over 1.5m (min).
3. CONCRETE
 - Manually placed concrete to be N32/10, to MRTS70.
 - Machine-placed concrete to MRTS70, Clause 17.20, minimum cementitious content of 320 kg/m³ (no compressive strength testing required).
4. ASPHALT ALLOWANCE 'AA' provides for initial asphalt layer and/or future overlay as indicated in the documents. 'AA' may include the thickness of any combination of: - asphalt corrector course - initial asphalt layers - estimated future asphalt overlay.
5. DIMENSIONS are in millimetres unless shown otherwise.


ASSOCIATED DEPARTMENTAL DOCUMENTS:
Standard Drawings
Specifications

REFERENCED DOCUMENTS:
Departmental Specifications:
MRTS03 Drainage, Retaining Structures and Protective Treatments
MRTS70 Concrete


Australian Standards:
AS 2876 Concrete Kerbs and Channels (Gutters) - Manually or Machine Placed

SEMI MOUNTABLE KERBS


'AA' Refer Note 4.



TYPE 3




TYPE 22




TYPE 28

CHANNELS




TYPE 23 (300 TRAY)
TYPE 24 (450 TRAY)

BARRIER KERB AND TRAY



TYPE 25 (300 TRAY)
TYPE 26 (450 TRAY)

SEMI MOUNTABLE KERB AND TRAY



TYPE 27

MOUNTABLE KERB AND TRAY

Department of Transport and Main Roads			
KERB AND CHANNEL			
PROFILES		A3	Standard Drawing No
		Not to Scale	1033
			Date 7/2020